



USED EQUIPMENT BROCHURE



800.599.4744

itcpack.com

ITC has nearly 50 years experience as a leading Systems Integrator creating the most efficient, productive, and profitable facilities coast-to-coast and abroad. Whether it's new plant design, plant expansion, controls, automation, equipment, or anything in-between, ITC is here to help. Our services address all aspects of the ice industry, including water purification, production, drying, bulk storage, snow & fines removal, packaging, metal detection, palletizing, stretch wrapping, merchandisers, and used equipment.

ITC handles a variety of equipment and are Distributors for: Morris Ice Makers and Rake Systems, Keith Walking Floors, Hamer Bag Fillers and Closers, JMC Automatic Bulk Baggers, Balers, & Hot Air Sealers, Leer Merchandisers, Verburggen Palletizers, Wulftec Stretch Wrappers, and Northstar Ice Storage Systems just to name a few.

ITC is not only a supplier of equipment, but also handles all the vital aspects of your plant. ITC is a supplier of packaging supplies, roll stock, stretch wrap, slip sheets, and other daily operating supplies that can provide hassle free packaging for optimal performance on your equipment.

Complete with a highly efficient sales team, service technicians, design/cad/engineering department, and graphics art department; ITC is prepared with all the necessary tools to make your company run even more smoothly. From fully automated ice plants to replacement parts, every customer is given our highest standard of service, offer you competitive pricing and to always be there to help you with any project. ITC wants to be your solution for all your company needs. Please contact ITC today to find out how we can help better your business!



(1) USED 04 VOGT MODEL P24F MID TUBE ICE MACHINE

- Self-Contained Packaged Unit
- 1 ¼" Tube produces 1-1/8" Ice
- Voltage: 460V, 3PH, 60HZ
- Control Voltage: 230V, 1PH, 60HZ
- Carlyle 5H80 Compressor
- Hansen Float Switch Assembly
- Water-Cooled Receiver Condenser
- Freon Refrigerant Charge (Not Included)



(1) USED VOGT MODEL P24F MINI TUBE ICE MACHINE

- Self-Contained Packaged Unit
- 1" Tube Produces 7/8" Ice
- Voltage: 460V, 3PH, 60HZ
- Control Voltage: 230V, 1PH, 60HZ
- Carlyle 5H80 Compressor
- Hansen Float Switch Assembly
- Water-Cooled Receiver Condenser
- 404-A Refrigerant (Not Included)
- Hours - 14,293
- Rebuilt Compressor - 2016



(1) USED P24AL MID-TUBE ICE MACHINE

Features:

- 1 ¼" Tube produces 1-1/8" Ice
- Control Voltage: 230V
- R-717 Refrigerant (Not Included)



(2) USED ICE DISPENSING BINS – MODEL 2801

Features:


- Heavy duty construction
- Easy handling and installation
- Automatic bag dispenser
- Stainless Steel Internal Agitator
- 100% Stainless steel auger
- Ice Capacity: 2800 lbs.
- Liner: 22 Gauge, 304 Stainless steel with urethane foam insulation
- Exterior: 22 Gauge, 304 Stainless steel
- Motor: ½ HP, High starting torque
- Electrical: 115/230V, 60 Cycle
- Electrical: Bag Dispenser 115V/60 Cycle
- Drain: 1" Interior diameter drain, brass
- Legs: 6" Stainless steel



(4) USED ICE MAKERS – MODEL SD 1802A

Features:

- Estimated Ice capacity:
 - o 1880 lbs. daily at 70°/50°
 - o 1444 lbs. daily at 90°/70°
- Air cooled
- Cube size: Dice
- Exterior: Stainless steel
- R-404A refrigerant



(1) LEER BL39 BLOCK MAKER

Features:

- Estimated Ice capacity:
 - o 1880 lbs. daily at 70°/50°
 - o 1444 lbs. daily at 90°/70°
- Air cooled
- Cube size: Dice
- Exterior: Stainless steel
- R-404A refrigerant



USED ICE RAKES • BAG CLOSURE MACHINES



(1) TURBO CB87 ICE RAKE

Features:


- 87 Ton Capacity
- 29' 9" L X 16' 6" W X 16' 11" H
- Stainless Steel Flights
- Stainless Steel Discharge Auger
- Plastic Chain and Sprockets
- Soft Starter
- Auto Door
- 460V motor and drive



(1) TURBO CB30 ICE RAKE

Features:

- 24 '9" L X 10' 6" W X 10' 2" H
- Rake Limit Switch
- HDPE Bin & Door Liner
- Stainless Steel Flights
- Plastic Chain and Sprockets
- Electrical Panel with PLC
- Load Detector
- Stainless Steel Nuts and Bolts
- Lexan Viewing Window
- Horiz Stainless Steel Auger



(1) HAMER 125 WITH STAND

Features:

- Closes up to 75 bags per minute
- Tamperproof seal
- 17 & 18 Gauge wire
- Adjustable head
- Standard: 120V / 60HZ



HAMER 125 WITH CONVEYOR

Features:

- Closes up to 75 bags per minute
- Tamperproof seal
- 18/17 gauge wire
- Adjustable head



(1) 20 HP KRACK CONDENSER

Features:

- SLD series
- 20 HP Copeland Discus compressor
- 2-30" fans, R-22, 460V



(1) CTS COOLING TOWER

Features:


The fiberglass construction of a CTS cooling tower makes the tower durable, while also making it unmatched time and time again in price. The lighter weight of a fiberglass tower enables a smaller, more energy-efficient fan motor to be used...a cost savings from the moment it is in use.

Design Features

The non-rusting FRP casing and basin, circular in shape eliminates special installation requirements. Prevailing wind directions will not effect tower performance. Lightweight and compact, the CTS cooling tower provides quick and easy installations. Job site assembly is simplified by the modular design of all components.



(1) MARLEY 494A COOLING TOWER



(1) SS SHAKER WITH STAND

Features:

- 29'-9" Long x 16'-6" Wide x 16'-11" Tall (Approximately)
- Rake Limit Switch
- Stainless Steel Flights
- Plastic Chain and Sprockets
- Electrical Panel with PLC
- Stainless Steel Nuts and Bolts
- Lexan Viewing Window



(1) REBUILT HAMER 125

Features:

- Closes up to 75 bags-per-minute.
- Wire ring seal is tamperproof.
- Sealed main roller bearings.
- Uses 16, 17 or 18 gauge wire.
- Designed for easy maintenance and wire loading.
- Keyed, no-adjust wire feed rollers.
- Engineered and constructed to stand up under continuous or stop-and-go production.
All stress parts build from hardened steel alloys.
- Solid, self-aligning, double-ended clincher.
- Safe, fully enclosed operation.



(1) REBUILT HAMER RING CLOSERS

Features:

- Closes up to 45 bags-per-minute
- Head swings up for easy access during maintenance access
- Head and conveyor are easily raised or lowered for various bag sizes
- Standard 115V 60HZ 3/4 HP
- Optional 230V 50HZ 3/4 HP
- Conveyor speed: 60 feet/minute
- Weight: 625 pounds (with conveyor)
- Galvanized, ring wire seal
- 14 - 15 gauge wire handles any bag requirement
- 50 pound wire coils
- Packages products in uniformly neat bags for easy handling





**YOUR FULL-SERVICE SOURCE FOR
EQUIPMENT • PACKAGING
PARTS • SUPPLIES • SERVICE**



5525 ERINDALE DR., STE 217 • COLORADO SPRINGS, CO 80918
PH - 800.599.4744 F - 719.599.4013
itcpack.com